

Curing Agent PR-17

A low viscosity, modified curing agent designed for use in water wipeable epoxy grout systems.

Curing Agent PR-17 offers excellent colour stability and is designed for use in tile grout.

Curing Agent PR-17 has a convenient loading of 50 PHR (50 parts of curing agent per 100 parts of resin).

Technical Specification

Colour	Gardner 7 max
Viscosity @ 25°C	Less than 2 poise
Specific gravity @ 20°C	0.96
Flash point	Greater than 200°C (low risk)
Recommended usage	50 parts per 100 parts of PR-5C
Typical cure schedule	100 – 200 minutes

All PR Epoxy products are manufactured to a high standard of quality. Whilst we aim to ensure that any advice, information or recommendations given are reliable and correct, the Company cannot accept any liability directly or indirectly arising from the use of its products, as we have no direct or continuous control over where or how its products are applied. No undertaking can be given against infringement of any patented processes.

for chemistry you can count on...

The Court, Kestrel Road, Trafford Park, Stretford, Manchester M17 1SF
w: prepoxy.com | **e:** hello@prepoxy.com | **t:** +44 (0) 1618 727 618